
BOM Table			
ITEM NO.	PART NAME	QTY.	MATERIAL
1	COLUMN	14	MILD STEEL
2	CONNECTOR	14	MILD STEEL
3	RAFTER	14	MILD STEEL
4	CONNECTOR MID	7	MILD STEEL
5	PURLIN	36	MILD STEEL
6	CORNER BRACES	14	MILD STEEL
7	GUSSET PLATE	12	MILD STEEL
8	MID BRACES	7	MILD STEEL
9	TOP PURLIN	6	MILD STEEL
10	BASE LENGTH	2	MILD STEEL
11	BASE LENGTH 3	10	MILD STEEL
12	ROOF SHEET 1	6	MILD STEEL
13	ROOF SHEET 2	6	MILD STEEL
14	TOP CAP	6	MILD STEEL
15	ROOF SHEET 3	6	MILD STEEL
16	ROOF SHEET 4	6	MILD STEEL
17	SIDE CAP	2	MILD STEEL
18	L BRACKET	36	MILD STEEL
19	SIDE PURLIN	6	MILD STEEL
20	SIDE PURLIN 2	6	MILD STEEL



DETAIL B
SCALE 1 : 10

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: SEE BOM

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: BILL OF MATERIAL

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:50	1 OF 18	M-001	A









THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H2 INNOVATIONS.

MATERIAL: SEE BOM ON SHEET 2

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± .25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB TITLE: OUTLINE DIMENSIONS

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:60	2 OF 18	M-002	A










DETAIL D
SCALE 1 : 1



THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE

TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"

SUB-TITLE: CONNECTOR

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:4	3 OF 18	M-003	A





THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: COLUMN

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:8	4 OF 18	M-004	A









DETAIL E
SCALE 1 : 2

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3.2
X.X ± .030	X.X ± .80
X.XX ± .010	X.XX ± .25
X.XXX ± .005	X.XXX ± .13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: PURLIN

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:7	5 OF 18	M-005	A









DETAIL F
SCALE 1 : 2

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"

SUB-TITLE: BASE LENGTH

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:7	6 OF 18	M-006	A







THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°

THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8'' × 28'-8''

SUB-TITLE: BASE LENGTH 3

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:7	7 OF 18	M-007	A







VIEW A
28.1°
SCALE 1 : 5

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± .80
X.XX ± .010	X.XX ± .25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: MID BRACES

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:7	8 OF 18	M-008	A









THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3.2
X.X ± .030	X.X ± .80
X.XX ± .010	X.XX ± .25
X.XXX ± .005	X.XXX ± .13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE

TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"

SUB-TITLE: CONNECTOR MID

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:3	9 OF 18	M-009	A





DETAIL H
SCALE 1 : 2

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: TOP PURLIN

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:7	10 OF 18	M-010	A









THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X ± .125	X ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"

SUB-TITLE: SIDE PURLIN

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:5	11 OF 18	M-011	A







THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X ± .125	X ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13

ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: SIDE PURLIN 2


DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:5	12 OF 18	MC-012	A












DETAIL I
SCALE 1 : 5



DETAIL O
SCALE 1 : 5

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± .80
X.XX ± .010	X.XX ± .25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: TOP CAP

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:8	13 OF 18	M-013	A









DETAIL O (FOR REFERENCE)
SCALE 1 : 2

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13

ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: ROOF SHEET 1


DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:15	14 OF 18	M-014	A











DETAIL B (FOR REFERENCE)
SCALE 1 : 2

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H_2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H_2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H_2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± ,80
X.XX ± .010	X.XX ± ,25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: ROOF SHEET 2

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:15	15 OF 18	M-015	A









DETAIL P (FOR REFERENCE)
SCALE 1 : 2

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± .80
X.XX ± .010	X.XX ± .25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"


SUB-TITLE: ROOF SHEET 3

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:15	16 OF 18	M-016	A









DETAIL Q (FOR REFERENCE)
SCALE 1 : 2

THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± .80
X.XX ± .010	X.XX ± .25
X.XXX ± .005	X.XXX ± ,13


ANGLES ±2° CHAMFER ±5°


THIRD ANGLE


TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"

SUB-TITLE: ROOF SHEET 4

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:15	17 OF 18	M-017	A







THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY IN NATURE, AND IS THE SOLE PROPERTY OF H2 INNOVATIONS. THE DOCUMENT AND ITS CONTENT ARE CONFIDENTIAL AND SHALL NOT BE DISCUSSED OR DISSEMINATED WITHOUT THE PRIOR WRITTEN CONSENT OF H2 INNOVATIONS. THE INFORMATION CONTAINED HEREIN SHALL NOT BE USED FOR ANY PURPOSE OTHER THAN AUTHORIZED IN WRITING BY H2 INNOVATIONS.

MATERIAL: MILD STEEL

POST PROCESSING: N/A

UNIT OF MEASURE: INCHES

ALL DIMENSIONING AND GEOMETRIC TOLERANCING PER ASME Y14.5M 1994 UNLESS OTHERWISE SPECIFIED

1. REMOVE ALL BURRS AND SHARP EDGES TO R.005 MAX.
2. SURFACES 125 OR BETTER.
3. TOLERANCES:

INCH	MILLIMETER
X. ± .125	X. ± 3,2
X.X ± .030	X.X ± .80
X.XX ± .010	X.XX ± .25
X.XXX ± .005	X.XXX ± ,13

ANGLES ±2° CHAMFER ±5°

THIRD ANGLE

TITLE: PARKING CANOPY STEEL FRAME 19'-8" × 28'-8"

SUB-TITLE: SIDE CAP

DRAWING SIZE	SCALE	SHEET	DRAWING NO:	REV:
B	1:1	18 OF 18	M-003	A